



PT. Coco Total Karbon Indonesia

Coconut shell charcoal briquettes factory
Jl. Mayor Unus KM1.5
Magelang, Central Java, Indonesia
+62 85328727291; export@charcoal.pro

250261.0111MSDS

MATERIAL SAFETY DATA SHEET

SECTION 1—IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND IDENTIFICATION OF THE COMPANY / UNDER TAKING

- 1.1 Product Identifier** : Coconut Shell Charcoal Briquette
Identification of the substance
- CAS Number** : 68647-86-9
- 1.2 Relevant identified uses of the substance or mixture and uses advised against** : Shisha, Barbeque, and Energy
Identified uses
- 1.3 Details of the supplier of the safety data sheet** : **PT. COCO TOTAL KARBON INDONESIA**
Jl. Mayor Unus KM 1.5, Desa Soroyudan,
Kab. Magelang, Jawa Tengah 56172,
Indonesia
- 1.4 Emergency telephone number** : 1. Greg Ryabtsev
Contact Person: +62 853 2872 7291
Email: export@charcoal.pro
2. Yulita Listiani
Contact Person: +62 822 2439 1264
Email: exim@charcoal.pro

SECTION 2 - HAZARDS IDENTIFICATION

- 2.1 Classification of the substance or mixture** : Classification according to Regulation (EC) No. 1272/2008 (CLP), This substance meets the criteria for classification in accordance with Regulation No. 1272/2008/EC.
- 2.2 Label elements** : Classified as dangerous goods of Self Heating Substances of division 4.2 as set out in the UN Manual of Test and criteria, part III 33.4.6
- Labeling according to regulation (EC) No 1272/2008 (CLP): not required



PT. Coco Total Karbon Indonesia

Coconut shell charcoal briquettes factory
Jl. Mayor Unus KM1.5
Magelang, Central Java, Indonesia
+62 85328727291; export@charcoal.pro

250261.0111MSDS

SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS

3.1 Substances	Wet Basic	Dry Basic
Moisture in the Analysis Sample (weight%) :	5.72	-
Ash Content (weight %)	: 2.13	2.26
Volatile Matter (weight %)	: 21.20	22.49
Fixed Carbon (weight %)	: 70.95	75.25

SECTION 4 – FIRST AID MEASURES

4.1 Description of first aid measures

General notes	: Take off contaminated clothing.
Following inhalation	: Provide fresh air. In all cases of doubt or when symptoms persist, seek medical advice.
Following skin contact	: Rinse skin with water/shower. In all cases of doubt or when symptoms persist, seek medical advice.
Following eye contact	: Rinse cautiously with water for several minutes. In all cases of doubt or when symptoms persist, seek medical advice.
Following ingestion	: Rinse mouth. Call a doctor if you feel unwell. Symptoms and effects are not known to date.

4.2 Most Important Symptoms and Effects, both acute and delayed : None

4.3 Indication of any immediate medical attention and special treatment needed : None



PT. Coco Total Karbon Indonesia

Coconut shell charcoal briquettes factory
Jl. Mayor Unus KM1.5
Magelang, Central Java, Indonesia
+62 85328727291; export@charcoal.pro

250261.0111MSDS

SECTION 5 – FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media : Coordinate fire-fighting measures to the fire surroundings water spray, foam, dry extinguishing powder, and carbon dioxide (CO₂)

Unsuitable extinguishing media : Water jet

5.2 Special hazards arising from the substance or mixture : The danger of dust explosion.

Hazardous combustion products : In the case of a fire, carbon monoxide (CO) and carbon dioxide (CO₂) may be liberated.

5.3 Advice for firefighters : Fight fire with normal precautions from a reasonable distance. Wear a self-contained breathing apparatus.

SECTION 6– ACCIDENTAL RELEASE MEASURE

6.1 Personal precautions, protective equipment, and emergency procedures

6.1.1 Personal Precautions : Avoid contact with eyes. Ensure adequate ventilation.

6.1.2 Protective equipment : Use personal protective equipment as required. Refer to protective measures listed in Sections 8.

6.1.3 Emergency Procedures : Wear appropriate personal protective equipment and clothing to prevent exposure. Extinguish or remove all sources of ignition and stop leak if safe to do so. Increase ventilation. Evacuate all unprotected personnel. Use clean non- sparking tools to collect the material and place into suitable labelled containers for subsequent recycling or disposal. Dispose of waste according to the applicable local and national regulations.

If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.



PT. Coco Total Karbon Indonesia

Coconut shell charcoal briquettes factory
Jl. Mayor Unus KM1.5
Magelang, Central Java, Indonesia
+62 85328727291; export@charcoal.pro

250261.0111MSDS

6.2 Enviromental Precautions

6.2.1 Environmental Precautions : See section 12 for ecological information.

6.3 Methods and Materials for Containment and Cleaning Up

6.3.1 Methods for Containment : Use appropriate tools to put the spilled solid in a convenient waste disposal container.

6.3.2 Methods for Cleaning Up : Remove heat and ignition sources. Vacuum sweep, if possible, to avoid generating airborne dust. Wash residual to the on-site treatment area, where appropriate. If the treatment area is not available, wash down to the sanitary sewer. Contact the sanitary treatment facility in advance to assure the ability to process washed-down material

6.4 Reference To Other Section

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7- HANDLING AND STORAGE

7.1 Precautions for safe handling

7.1.1 Handling : Handle in accordance with good industrial hygiene and safety practices. Avoid contact with skin, eyes, and clothing.

7.2 Conditions for Safe Storage Including any Incompatibilities

7.2.1 Storage : The Coconut Shell Charcoal Briquette should be stored in well-ventilated areas and air should be able to circulate between the stored materials. The product should be stored in a dry area away from open flames, heat sources, and other ignition sources.

7.2.2 Incompatible product : Strong oxidizer

7.3 Specific end use(s): : Shisha, Barbeque, and Energy



PT. Coco Total Karbon Indonesia

Coconut shell charcoal briquettes factory
Jl. Mayor Unus KM1.5
Magelang, Central Java, Indonesia
+62 85328727291; export@charcoal.pro

250261.0111MSDS

SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameter

National limit values

Occupational exposure limit values (Workplace Exposure Limits) are not relevant

8.2 Exposure controls

Individual protection measures (personal protective equipment)



- Eye/face protection : Use safety goggles with side protection.
- Hand Protection : Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374.
- Type of Material : NBR (Nitrile rubber).
- Material Thickness : >0.11 mm.
- Breakthrough times of the glove material : >480 minutes (permeation: level 6)
- Other protection measures : Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.
- Respiratory protection : Respiratory protection is necessary at Dust formation. Particulate filter device (EN 143). P1 (filters at least 80 % of airborne particles, color code: White).



PT. Coco Total Karbon Indonesia

Coconut shell charcoal briquettes factory

Jl. Mayor Unus KM1.5

Magelang, Central Java, Indonesia

+62 85328727291; export@charcoal.pro

250261.0111MSDS

SECTION 9- PHYSICAL DATA AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical State	: Solid
Appearance	: Charcoal
Color	: Black
Odor	: None
Ignition Point	: Combustible
Flash point	: Not available
Boiling point	: Not available
Melting point	: 398°C
Evaporation rate	: Not available
pH	: 7
Vapor density	: Not available
Specific gravity	: 1.3 (Approximately)
Solubility (water)	: Insoluble
Vapor pressure	: < 0.1 mm Hg
Upper explosion limit	: Not available
Lower explosion limit	: Not available
Auto ignition temperature	: Not available
Decomposition temperature	: Not available
Viscosity	: Not available
Partition coefficient	: Not available

SECTION 10- STABILITY AND REACTIVITY DATA

10.1 Reactivity	: The product in its delivered form is not dust explosion capable; however, the enrichment of fine dust leads to the danger of dust explosion.
10.2 Chemical stability	: The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.
10.3 Possibility of hazardous reactions	: The danger of explosion: Oxidisers, Peroxides
10.4 Conditions to avoid	: There are no specific conditions known which have to be avoided.
10.5 Incompatible materials	: There is no additional information Contact with oxidizing (e.g ozone, chlorine, liquid, and oxygen), acids, and metals may cause a fire.
10.6 Hazardous decomposition products	: Hazardous combustion products: see section 5.



PT. Coco Total Karbon Indonesia

Coconut shell charcoal briquettes factory
Jl. Mayor Unus KM1.5
Magelang, Central Java, Indonesia
+62 85328727291; export@charcoal.pro

250261.0111MSDS

SECTION 11 - TOXICOLOGICAL PROPERTIES

11.1 Information on likely routes of exposure

Inhalation	: Inhalation may irritate the respiratory tract.
Eye contact	: Dust may cause temporary eye irritation.
Skin Contact	: Minor or no effects expected
Ingestion	: Minor or no effects are expected
Symptoms	: May cause a tearing of the eyes. Inhalation of dust may irritate the respiratory tract.
Sensitization	: No information was available.
Mutagenic Effects	: No information was available.

SECTION 12 – ECOLOGICAL INFORMATION

12.1 Toxicity	: Acc. to 1272/2008/EC: Shall not be classified as hazardous to the aquatic environment.
12.2 Process of degradability	: The methods for determining the biological degradability are not applicable to inorganic substances.
12.3 Bio accumulative potential	: Does not significantly accumulate in organisms.
12.4 Mobility in soil	: Data are not available.

SECTION 13 – DISPOSAL CONSIDERATION

13.1 Waste treatment methods

13.1.1 Disposal Methods	: Reclaim, if possible; otherwise dispose of in accordance with all applicable federal, state, and local regulations.
13.1.2 Contaminated Packaging	: Dispose of in accordance with all applicable federal, state, and local regulations.



PT. Coco Total Karbon Indonesia

Coconut shell charcoal briquettes factory
Jl. Mayor Unus KM1.5
Magelang, Central Java, Indonesia
+62 85328727291; export@charcoal.pro

250261.0111MSDS

SECTION 14 – TRANSPORT INFORMATION

- 14.1 UN number** : 1361
- 14.2 UN proper shipping name** : CARBON, animal or vegetable origin
- 14.3 Technical name** : Coconut Shell Charcoal Briquette
- 14.4 Transport hazard class(es)** : Class 4.2 of IMDG Code
- 14.5 Packing group** : III
- 14.6 Special precautions for user** : None (non-environmentally hazardous, acc. to the Dangerous goods regulations)
- 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** : There is no additional information.
- 14.8 Information for each of the UN Model Regulations** : The cargo is not intended to be carried in bulk.
- Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) : Subject to ADR, RID and ADN.
 - International Maritime Dangerous Goods Code (IMDG) : Class 4.2 of IMDG Code
- 14.9 Transport by Airlines IATA** : Subject to IATA DGR



PT. Coco Total Karbon Indonesia

Coconut shell charcoal briquettes factory
Jl. Mayor Unus KM1.5
Magelang, Central Java, Indonesia
+62 85328727291; export@charcoal.pro

250261.0111MSDS

SECTION 15 – REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU) 14.2 UN proper shipping name

- 15.1.1 Regulation 649/2012/EU : Not listed
concerning the export and
import of hazardous
chemicals (PIC)
- 15.1.2 Regulation 1005/2009/EC : Not listed
On substances that deplete
the ozone layer (ODS)
- 15.1.3 Regulation 850/2004/EC on : Not listed
persistent organic
pollutants (POP)
- 15.1.4 Restrictions according to : Not listed
REACH, Annex XVII
- 15.1.5 Directive 2011/65/EU on the : Not listed
restriction of the use of
certain hazardous
substances in electrical and
electronic equipment
(RoHS) - Annex II
- 15.1.6 Regulation 166/2006/EC : Substance is listed in the following national
concerning the establishment inventories:
of a European Pollutant - EINECS/ELINCS/NLP (Europe)
Release and Transfer - REACH (Europe)
Register (PRTR)

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.



PT. Coco Total Karbon Indonesia

Coconut shell charcoal briquettes factory
Jl. Mayor Unus KM1.5
Magelang, Central Java, Indonesia
+62 85328727291; export@charcoal.pro

250261.0111MSDS

SECTION 16 – OTHER INFORMATION

16.1 Additional Information

Always wash hands with soap and water before smoking, eating or drinking. Showering at the end of the working day is recommended. Launder contaminated clothing before reuse. Encourage no eating, drinking or smoking when handling this material.

- | | |
|---|---|
| Respirators | : In general, the use of respirators should be limited, and engineering controls should be employed to avoid exposure. If respiratory equipment must be worn ensure correct respirator selection and training is undertaken. |
| Exposure Standards – Time Weighted Averages | : Exposure standards are established on the premise of an 8 hour work period of normal intensity, under normal climatic conditions and where a 16 hour break between shifts exists to enable the body to eliminate absorbed contaminants. In the following circumstances, exposure standards must be reduced: strenuous work conditions; hot humid climates; high altitude conditions; extended shifts (which increase the exposure period and shorten the period of recuperation). |
| Personal Protective Equipment Guidelines | : The recommendation for protective Equipment contained within this MSDS report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made. |
| Health Effects From Exposure | : It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a MSDS report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate. |



PT. Coco Total Karbon Indonesia

Coconut shell charcoal briquettes factory
Jl. Mayor Unus KM1.5
Magelang, Central Java, Indonesia
+62 85328727291; export@charcoal.pro

250261.0111MSDS

Report Status

This document has been compiled by Carsurin on behalf of the manufacturer of the product and serves as the manufacturer's Safety Data Sheet ('SDS').

It is based on information concerning the product which has been provided to Carsurin by the manufacturer or obtained from third-party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer.

While Carsurin has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, Carsurin accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

Jakarta, October 30th, 2025

Prepared by,



CARSURIN
1968

Amran Lesmana

Consultant of PT. COCO TOTAL KARBON INDONESIA

PT. Carsurin, Tbk

Neo Soho Capital, 28th Floor

Jl. Letjen S. Parman Kav. 28

Grogol Petamburan

Jakarta Barat 11470 Indonesia

Phone : [+62 21-50226868](tel:+622150226868) / [+62 21-50171799](tel:+622150171799)

Email : charcoal@carsurin.com

Web : www.carsurin.com

for verification of authenticity of certificate or reports, please contact charcoal@carsurin.com

For verification of authenticity of certificate or reports, scan the secure QR code using the Validator App or visit verify.carsurin.com